

WOLF SAFETY LAMP Co SHEFFIELD

WOLF No7 R.M.B.S.





WOLF No7 R or 7SE



WOLF TYPE FG (Wm Maurice) LTD SHEFFIELD

M of P





The Wolf Safety Lamp Co.

(WOLF SAFETY LAMP CO. - SHEFFIELD 3)

WOLF FLAME SAFETY LAMPS

WOLF Lamps have always been known as reliable and trouble-free gas-burning lamps. In this series of "Wolf" Flame Safety Lamps, many important features of past designs have been retained but simplified, resulting in simpler, lighter and more compact lamps. All have round bodies, outer and inner lenses, Wolf horizontal magnetic locks and a middle air feed and shut-off. All the lamps are standard and all lamps have the same glass, glass and metal, and the same fuel and have valves to function locks.

Four lamps are available for use under the Coal and Other Mines (Safety Lamps and Lighting) Regulations 1955.

No. 1 and 2 are suitable for use under Coal Mines (General Regulations) (Fireproofing Department) 1955, and No. 3 and 4 under Coal Mines (Safety Lamps and Lighting) Regulations 1955. (These Regulations apply to safety lamps for use in Coal Mines).

WOLF FLAME SAFETY LAMP WITHOUT RELIGHTER

1. Type FS

These and Lamp with inner fittings and Wolf magnetic lock, round with screw adjustment, or horn type. With middle air-feed and shut-off ring. Weight 2 lb. 13 oz.

WOLF FLAME SAFETY LAMP FOR ELECTRIC IGNITION

2. Type FE

As Type FS, but with fittings for igniting electrically from an external magnetic lighter or lamp remote or lamp remote underground system. Weight 2 lb. 14 oz.

WOLF FLAME SAFETY LAMP WITH INTERNAL RELIGHTER

3. Type FC

As Type FS, but with self-contained certain relighter.

Weight 2 lb. 14 oz.

WOLF FLAME SAFETY LAMP WITH INTERNAL RELIGHTER LAMP

4. Type FB

These and Lamp with inner fittings and Wolf magnetic lock, round with screw adjustment, or horn type. With middle air-feed and shut-off ring. With self-contained but flameless relighter enclosed by small dry battery of standard type. Weight 2 lb. 14 oz.

For use in Wolf Flame Safety Lamps for use in Coal Mines are fitted with Wolf magnetic locks. Lead first lock only supplied in special order for shipping and industrial use.

For equipment and tools see page 10. For working instructions see the Wolf Flame Lamp Instruction Sheet for Type F lamps.

Patent No. 2,571,111 for Lamp Type FS.

Patent No. 2,571,112 for Lamp Type FE.

Patent No. 2,571,113 for Lamp Type FC.

Patent No. 2,571,114 for Lamp Type FB.

TYPE FS, FE, FC, FB

WOLF SAFETY LAMP WM MAURICE BABY WOLF LAMP



Literatur: 100 YEARS Wolf SAFETY LAMPS, The wolf Safety Lamp Company Limited 2012 and The Miners Lamp Collectors Society <http://www.thebigmeet.org/index.html>

Wetterlampen

From:
<https://www.karl-heupel.de/dokuwiki/> - KarlHeupel

Permanent link:
<https://www.karl-heupel.de/dokuwiki/doku.php?id=grubenlampen:wolf&rev=1424271611>

Last update: **2020/03/26 11:36**

