

WOLF SAFETY LAMP Co SHEFFIELD

WOLF Lamps



WOLF No7 R.M.B.S.



obere und untere Luftregulierung

Zünder und



WOLF No7 R or 7SE



WOLF TYPE FG (Wm Maurice) LTD SHEFFIELD

M of P





The Wolf Safety Lamp Co.

(WM. MAURICE LTD. - SHEFFIELD 3)

WOLF FLAME SAFETY LAMPS

WOLF Lamps have always been known as reliable and trouble-free gas-burning lamps. In this series of "Wolf" Flame Safety Lamps, many important features of past designs have been retained but simplified, resulting in simpler, lighter and more compact lamps. All have round bodies, outer and inner lenses, Wolf lamp-type magnetic locks and a middle air feed and shut-off. All lamps are standard and all lamps have the same glass, glass and metal, and the same fuel and have valves to function locks.

Four lamps are available suitable for use under the Coal and Other Mines (Safety Lamps and Lighting) Regulations 1955.

No. 1 and 2 are suitable for use under Coal Mines (General Regulations) (Fireproofing Department) 1958, and No. 3 and 4 under Coal Mines (Safety Lamps and Lighting) (General Regulations) 1955. (These Regulations apply to safety lamps for use in Coal Mines).

WOLF FLAME SAFETY LAMP WITHOUT RELIGHTER

1. Type FS
These and lamp with inner fittings and Wolf magnetic lock, round with screw adjustment, or burn open. With middle air-feed and shut-off ring. Height 8 1/2 in. Weight 2 lb. 13 oz.

WOLF FLAME SAFETY LAMP FOR ELECTRIC IGNITION

2. Type FE
As Type FS above but with fittings for igniting electrically from an external magnetic lighter or lamp remote or lamp remote underground system. Height 8 1/2 in. Weight 2 lb. 14 oz.

WOLF FLAME SAFETY LAMP WITH INTERNAL RELIGHTER

3. Type FC
As Type FS above but with self-contained certain relighter.

Height 8 1/2 in. Weight 3 lb.

WOLF FLAME SAFETY LAMP WITH INTERNAL RELIGHTER LAMP

4. Type FB
These and lamp with inner fittings and Wolf magnetic lock, round with screw adjustment, or burn open. With middle air-feed and shut-off ring. With self-contained but flameless relighter controlled by small dry battery of standard type. Height 9 1/2 in. Weight 3 lb. 14 oz.

For use in Wolf Relighter Lamp Type FB must be obtained from the Wolf Safety Lamp Co. (Wm. Maurice Ltd., Sheffield 3).

WOLF Flame Safety Lamps for use in Coal Mines are fitted with Wolf magnetic locks. Lead first locks only supplied in special order for shipping and industrial use.

For equipment and tools see price page. For working instructions ask for Wolf Flame Lamp Instruction Sheet for Type F lamps.

Patent Agent: Pat. (Lamp) available for request. Approx. Price: Price showing lamp with spare parts and full order numbers available for request. Please ask for printed list of spare parts for Wolf Flame Safety Lamps. Type F or price by number of quantity.

Price No. 5/5/1/11 for lamp Type FS
Price No. 5/5/1/11 for lamp Type FE
Price No. 5/5/1/11 for lamp Type FC
Price No. 5/5/1/11 for lamp Type FB

BRILLIANT ILLUSTRATION BY THE INTERNAL RELIGHTER LAMP

1888/89 Printed in England

TYPE FS, FE, FC, FB

WOLF SAFETY LAMP WM MAURICE BABY WOLF LAMP



Literatur: 100 YEARS Wolf SAFETY LAMPS, The wolf Safety Lamp Company Limited 2012 and The Miners Lamp Collectors Society <http://www.thebigmeet.org/index.html>

Wetterlampen

From:
<https://www.karl-heupel.de/dokuwiki/> - KarlHeupel

Permanent link:
<https://www.karl-heupel.de/dokuwiki/doku.php?id=grubenlampen:wolf&rev=1424342364>

Last update: **2020/03/26 11:36**

